Thermal Resistance of Heat sink

$$R_{\rm fin} = \frac{T_{\rm b} - T_f}{\dot{Q}_{\rm fin}} = \left[1 + \frac{mL\,\phi}{Bi_{\rm c}}\right] \left[\sqrt{hPkA}\,\phi\right]^{-1}$$

where:

$$\phi = \frac{mL \tanh mL + Bi_{\rm e}}{mL + Bi_{\rm e} \tanh mL}$$

and:

$$Bi_{
m c}=rac{h_{
m c}L}{k}, \hspace{0.5cm} Bi_{
m e}=rac{h_{
m e}L}{k}, \hspace{0.5cm} Bi=rac{ht_{
m e}}{k}<0.2$$

$$t_{ extbf{e}}=rac{A}{P}, \hspace{0.5cm} mL=\sqrt{rac{hP}{kA}}L$$

Inputs

- L fin length
- A cross sectional area of fins
- P Fin perimeter
- k Thermal conductivity of fin material
- h_c Base contact resistance
- h fin convection coeffiecient
- h_e fin tip convection coefficient

Results

• R_fin – thermal resistance of Fins

IMPORTANT NOTE

R_fin was given for our heat sink was given as (0.57 W/K), these are the equation I used to determine the thermal resistance we would need to have in our heat sink. h and h_e are hard to calculate because they are dependent on the temperature distribution of the fin, which at the point I did these calculation was unknown, q was also not know at this point. The error in the EES model is most likely because I assumed R_fin = 0.57 W/K, this value is not a constant but varies with h.

EES model

(CODE)

"CAPSTONE PROJECT" "Thermoelectric Generators"

 $\label{eq:tau} \begin{array}{l} T_1 = \textbf{converttemp}(C,K,240) \text{ "Boiler Temperature"} \\ T_amb = \textbf{converttemp}(C,K,23) \text{ "Ambient Temp."} \\ \text{"}T_2 = \text{converttemp}(C,K,165.7) \text{"} \end{array}$

R_tc_prime = 0.000005 [m^2-K/W] "Contact Resistance" W = 0.056 [m] "Width of TEG" R_tc = R_tc_prime/W^2 "External resistance on TEGs"

 $\{h_r = epsilon * sigma *(T_2+T_1)*(T_2^2+T_1^2) \} "Radiation heat transfer coefficient" "(1)" epsilon = 0.9 "emissivity" sigma = 0.000000056703 [W/m^2-K^4]$

"Conduction resistance trhough one module" N = 900 "Number of p-n semiconducting modules in all 4 TEGS" L_TEG = 0.0025 [m] "Use half the distance of TEG" A_cs = 0.00000256 [m^2] "Cross-sectional Area of each pellet" k_TEG = 1.2 [W/m-K] "Thermal Conductivity of Bismuth-Telluride" R_t_cond_mod = L_TEG/(N*A_cs*k_TEG) "Coduction resistance of one module"

"Heat transfer rate into device" $q_1 = (1/(R_t cond_mod))^*(T_1-T_2) + I^*S_eff^*T_1 - I^2*R_eff$ "(2)" $S_eff = 0.1435 [V/K]$ "Effiective Seeback Coefficient" $R_eff = 5.19 [ohms]$ "Internal resistance on TEG" "Heat transfer rate out of device" $q_2 = (1/(R_t cond_mod))^*(T_1-T_2) + I^*S_eff^*T_2 - I^2*R_eff$ "(3)" "Heat transer through external resistances (plate and TEG)" $q_1 = (T_alpha1 - T_1)/R_tc$ "(4)" "Heat transfer thought Heat sink" $R_rad_conv = 0.57$ "Thermal Resistance of Heat think" $q_2 = (T_2 - T_amb)/R_rad_conv$ "(5)"

 $I^2 R_eff = I^S_eff (T_1-T_2) - 2^1^2 R_eff$

"(6)"

P_n = q_1 - q_2

 $P_n = I * V$

Results

Unit Settings: SI C kPa kJ mass deg

$A_{cs} = 0.00000256 \ [m^2]$	ε = 0.9	I = 1.051 [amp]
k _{TEG} = 1.2 [W/m-K]	L _{TEG} = 0.0025 [m]	N = 900
P _n = 17.2 [W]	q ₁ = 197.8 [W]	q ₂ = 180.6 [W]
R _{eff} = 5.19 [Ωs]	R _{rad,conv} = 0.57 [K/W]	R _{tc} = 0.001594 [K/W]
$\overline{R}_{tc'} = 0.000005 \ [m^2-K/W]$	$R_{t,cond,mod} = 0.9042 [K/W]$	σ = 5.670E-08 [W/m ² -K ⁴]
S _{eff} = 0.1435 [V/K]	T ₁ = 513.2 [K] {240 [C]}	$T_2 = 399.1 [K] \{125.9 [C]\}$
T _{alpha1} = 513.5 [K]	T _{amb} = 296.2 [K] {23 [C]}	V = 16.37 [V]
W = 0.056 [m]		

No unit problems were detected.

Calculation time = 15 ms