Rat Pack Meeting Minutes 9/5/18, 3:30

Location : JML 71B

People Present

Team Advisor: Dev Shrestha Shop Mentor: Jake Miller Colin Burkhalter Mitchell Williams Stephen Schoonen Stuart Sater

Subject Matter

- Document Sharing
 - Share drive vs one drive
- Project Planning
- Semester Goals
- 1st Snapshot
- Client Meeting
 - PE BE student lounge, 9/10
- Team Contract

Action Items

> All: Prepare questions for the client meeting

Rat Pack Meeting Minutes, Client Meeting 9/10/18, 3:00 PM

Location : Physics and Engineering Building, Student Lounge

People Present

Client: Nathen Shiele Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

Client Questions

- 1. What is the desired size of the entire device? (Understanding is that it must fit in the rat incubator of unknown size)
- 2. Is the size for the belt size firm at 12cm x 20cm? If not, what is the maximum/minimum sizes the belt could be at to still be acceptable.
- 3. Will the treadmill be moved around a lot or will it have a dedicated space? (Battery operated or wall plugin(preferred))
- 4. If the treadmill is computer controlled, will there be a dedicated laptop/computer? Or should it be able to easily run on any computer (more difficult)

Rats

- 5. What are the approximate measurements (size and weight) of the rats
- 6. Are we building the apparatus to hold the rat as well?

7. What length are the rat's legs as they grow/ does the support bar need to be adjustable, if so, by how much?

8. Do we need side cameras as well as a bottom up camera? How many cameras? What kind of cameras? (dimensions, mounting). If so would they need to be controlled by the same program as the belt apparatus?

Safety/Cleaning

- 9. Does the treadmill need to be enclosed for the safety of the rats?
- 10. What other specific safety features other than the stop button?

11. Questions regarding to material selection for apparatus and belt: necessary weight, waterproofing, tear resistant, thickness etc.

- 12. Will the treadmill get very dirty while in use? Should it be easy to clean?
- 13. Is soundproofing an issue with the tests running on newborn rats?
- 14. Are there any materials (other than materials known to be toxic) that should be avoided?

Performance

15. How do you want the speed/angle control to function? Insert an exact value? Dial/slider controlled? Simultaneous control of speed/angle?

16. Will speed/angle changes need to be made while the device is running?

17. How many hours will the treadmill run in an average week? How long will it run continuously?

18. It was mentioned that the previous version was fragile, other than the computer issues, what part of the device was weak? ("Maybe" question, not that important)

19. If the treadmill breaks or malfunctions, will there be somebody available to make simple fixes? (i.e. loose screws, belt loose, etc).

20. Is it important for the product to be made with easily available, replaceable components?

21. Are there any features on the treadmill you would like to see added to improve quality of life?

Project Management/Misc

22. Do you have your own timeline for construction of product for internal testing? Proof of concept prototype?

23. Is there an internal budget schematic you'd like us to follow, i.e. \$400 for parts, \$300 for etc. or is it as we see fit.

24. What does this project look like in cooperation with the department in ISU? Any needed trips or communication?

25. Are there plans for more replicas of our treadmill to be made in the future?

Action Items

> All: Review updated client requirements

Rat Pack Meeting Minutes 9/13/18

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Team Advisor: Dev Shrestha Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- First Snapshot day
- Shop time
- Client Interview
- Budget Overview
- Possible open source software options

Action Items

- > **Colin:** Create a Gantt Chart for tracking project progress.
- Mitchell: Contact Debbie in the BE department to establish the best system for making purchases. Send the preliminary budget to Dr. Schiele.
- > Stephen: Deliver a summary of project requirements, as we understand them, to Dr.

Schiele.

- > **Stuart:** Create a meeting minutes template and complete it for today's meeting.
- > All: Come prepared with design concept ideas

Rat Pack Meeting Minutes 9/20/18

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Dev will be gone for the next couple weeks
- Design and brainstorming ideas for apparatus
 - Screen
 - Stepper motor vs DC motor
 - PCB
 - Screen Interface
 - Breadboard for preliminary design, PCB for final
 - Capstone session and eagle will help us to create PCB
- Create and approve timeline for forward progress towards Snapshot 1 (due Oct 4th)
 - Gantt chart, Visio
- Budget procedures
 - Budget is reduced, not externally funded so less overhead (\$719)
 - Use Dr. Schiele for anticipated purchases, for emergency purchases, get reimbursements through Debbie
- Discuss Wiki page briefly
 - First deadline (Nov. 1st) requires basic outline, problem description, intro
 - Wikimaster

- Review Project Requirements and send them on
 - Requirements should be put into measurable (quantifiable) metrics
 - Pair with excel sheet
- OneDrive
 - Continue with OneDrive, may use shared drive for solid works file

- > Colin: Create agenda for next week and continue working on Gantt chart and timeline
- ➤ Mitchell: P-card training
- Stephen: Refine project requirements and pair with excel sheet containing first column of design metrics (due Nov. 27th)
- Stuart: Look into simultaneous editing on one drive, backfill meeting minutes for first meeting and client meeting, wikimaster training
- > All: research other similar systems to have justification for future design decisions

Rat Pack Meeting Minutes 9/27/18, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Product Requirement Document
 - Waiting for response
- One-drive editing and access
 - Link sent to Colin
- Client Response
 - Shiele office hours
- Design ideas and research discussion
 - Most use stepper motor with no gear box
 - With gear box, motor may be moving too slow
 - Can use belt drive
 - Motor controllers
 - Don't use easy driver, overheating common.
 - IEEE overflow store, basement of Gauss Johnson
 - Servo motor
 - Easier to program
 - Powerful enough?
 - Maximum weight of rat?
 - Transparent PVC vinyl tarp
 - Stiff, will require tensioning
 - Other commercial designs
 - Had large speed ranges
 - Transparent cutout sides
 - multilane
- Snapshot requirement discussion
 - Gantt
 - Project requirements
 - Budget
 - Design research
 - Picture of previous design?
- Expectations for timeline submission
 - Pick through expo for Gantt chart
 - Prototype, design improvements etc.
- Logbook

- Logbook review form
- P card
 - can't be used by students

- ► **Colin:** Work on timeline/ Gantt
- ➤ **Mitchell:** Help with Gantt chart
- > Stephen: Request a picture of the previous treadmill and maximum weight of rat
- Stuart: Backfill first meeting, look into portfolio
- > All: Continue Design Research

Rat Pack Meeting Minutes 10/04/18, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- o Logbook Review
- Research Idea follow-up
- o Client Response
 - Enclosure size 1000x 900x 500 mL
 - Materials- no materials off limits
 - Max Noise 60 dB, less preferred
- Snapshot 1
 - Contents
 - Descriptive title
 - Team name, members, and sponsors
 - Objective statement
 - Project requirements table
 - Value proposition
 - Documentation of project learning
 - Concept development
 - Plan with schedule/ milestones
 - Budget
 - •
 - Portfolio
 - Logbooks
 - Other deliverables
 - Pros and cons of dc vs stepper
- New research and ideas
 - NIML CSF pump tour next meeting
- Timeline Review
 - Longer troubleshooting period
- o Discuss next deadline item

Action Items

➤ Colin:

- Update timeline with longer troubleshooting period, start construction earlier
 - Majority of construction done by feb.
- Team name letters

➤ Mitchell:

• DC vs Stepper motor comparison for project learning

➤ Stephen:

- Get pics of old model for snapshot
- Mission Statement

➤ Stuart:

- Minutes
- Belt material (Vinyl) for project learning
- Descriptive title of project statement (1-2 sentence)

≻ All:

- Share Drive Snapshot upload (by next meeting mon @3:30)
- Continue researching Design ideas

Rat Pack Meeting Minutes 10/11/18, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrethsa Shop Mentor: Jake Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Snapshot discussion
 - Many faculty recommend dc with
 - 300 rpm minimum
 - Gear box may be required
 - Ramp with screw actuator
 - High rpm, more efficient
 - o Belt
 - Belt with no seam
 - belt
 - o Screen
 - Arduino- simple dial interface, hardware driven
 - Rasp pi- touch screen, software driven
 - Emergency stop, system that reverses polarity, or short leads. Faster than software
 - Resistor to limit stopping speed.
 - Gear ratio may stop
- Logbook
 - Show calculation/ more engineering in log books
- Breaking the build into sections
 - o Code/ control/ PCB- Mitch/ Stephen
 - Belt/ tensioning Colin
 - Enclosure Stephen/ Colin
 - Hardware- Stephen/Mitch
 - Frame- Stuart/ Colin
- Present multiple ideas for client design meeting (11/16) design review

➤ Colin:

- Belt set up and tensioning set up with sizes/ pricing
- Improve timeline

➤ Mitchell:

- Motors controllers and encoders: types, sizing, pricing
- ➤ Stephen:
 - Motors controllers and encoders: types, sizing, pricing
- Stuart: wiki workshop on mindworks
 - rotary actuator, sizing, prices, motor types
- > ALL: record all your research digitally to put in project learning (examples on mindworks)

Rat Pack Meeting Minutes 10/18/18, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrethsa Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Motor research
 - All motors have enough tourque
 - Found a dc with encoder and gearing built in for \$30
 - Metal gears (43.8:1 or 50:1)
 - Brush or brushless? Most likely brushless
 - Consider wattage for power supply
 - o Stepper
 - 17, smallest possible motor size
 - HYBRID
 - \$40 OR \$25 FOR 1.8
 - Min price \$60 including controller
 - High heat at slow speeds
- Linear actuator
 - o 4 inch stroke length
 - Force is minimum 15 lbs
 - \$140 per actuator
 - Feedback encoded
 - o Potentiometer
 - Complexity will be considered when we have design interview with client (11/16)
- Arduino
 - Rasp. Pi most likely overkill
 - DUE and mega are major considerations
 - Additional pins
 - Difference is clock speed (due is 4x mega) and number of usb ports
 - Consider voltage
 - Both cost about \$30
 - Justify decision for chosen Arduino
- Interface

- Touchscreen \$27
 - Easily display, menus, gui,
 - Time consuming to program
- Small lcd with buttons (\$7 for screen) need buttons too.
 - Simple to use and program
 - More Arduino pins required
 - Number keypad likely required
- Another option to propose to client (by 11/16)

Action Items

- > Colin: create solid works mock up for linear actuator mechanism
 - Research smaller linear actuators
 - Hand drawn design scheme

➤ Mitchell:

- Call company to verify brush/brushless
- Look into wattage for considering power supply
- > Stephen: fill out project learning sheet
 - One page of important things you learned and why it is important for our project

➤ Stuart:

- wiki workshop on Tuesday
 - "Variable speed treadmill for studying neo-natal rats"
 - <u>ankitg@uidaho.edu</u>, send name, email, blip to get access wkimaster computers
 - 4:00 gauss 115 tuesday
- Create mockup of manual inclination
- Hand drawn design scheme
- Parts list folder with sub folders containing sub filters.

Rat Pack Meeting Minutes 10/25/18, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrethsa Colin Burkhalter Jacob Miller Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Dev has motor example in his office (JML)
- Motor Mitch was looking into was brushed
 - o High wattage
 - Look at similar smaller brushless motor
- Touch vs buttons
 - Touch needs 8 pins, LCD screen needs 8 pins itself + buttons
 - More difficult to program
 - Both can be made equally user friendly
 - Touch screen shield for mega
 - o Both options will be presented to client
- Uno Arduino won't be sufficient
 - Mega (\$21) or due (\$50) are options
- Wiki
 - Wiki help is less useful than copying
- 3D
- Tensioning device
 - Clamshell gear (dirt bike)
- What to present for design review
- 3 incline options to present to client
 - Actuator reacts to turning off?
- •

- ➢ Colin: Doodle poll set up
 - Try to get a sample of prefab belts

- Manual incline mechanism
- > Mitchell: Make a comparison of screen options for design reviews
- Stephen: Give Schiele options for design review times 11/5, 11/7, 11/9 (after doodle poll)
 - Look into bumper assembly (clip on bracket, slots) run wild
- ➤ Stuart:

• Solid works model of manual Incline. Look into sample of clear belt material.

Clear design plan for how pvc belt would be created.

Post wiki link

≻ ALL:

Rat Pack Meeting Minutes 11/1/2018, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Colin Burkhalter Jacob Miller Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Belt Sample
 - Vinyl on the way
- Belt design
 - o Premade clear belts available in pre-determined sizes
 - Food processing
 - Vinyl Heat weld vs adhesive will be tested when samples arrive
- Wikipage update
 - o Add content
- Incline design
 - Interface design
 - Touch screen resolution
- Wall clips
 - Notch or slot connection
 - Hitch pin (cotter pin)
 - Square notch with release lever
 - o C-clamps with pins
 - Box less preferred to removable walls
 - Compliant mechanism

- ➤ Colin:
 - Continue with getting a sample of prefab belts
 - Manual incline mechanism
- ➤ Mitchell:
 - IR switch

➤ Stephen:

- Finish value proposition
- Ask Schiele about mon Nov. 12th (2:30)

➤ Stuart:

- Add content to wikipage and submit
- Continue belt design work
- Ideas for incline improvement
- ≻ ALL:
 - portfolio due Nov 8th
 - see the portfolio outline for any content that could be added
 - Logbooks due on Nov 8th
 - Bio and pic in one-drive

Rat Pack Meeting Minutes 11/8/2018, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrestha Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Spoke with companies about prefab belts
 - o Pre-made belts do not come in the size we need
 - o 20cm pretty small compared to what is available
 - Opaque not clear
 - Could make one from materials found out of Europe
- Possible methods for connecting belt
 - o Lacing device
 - **•** \$60
 - More research required
- Incline mechanism
 - o Manual wheel
 - Friction for holding torque
- UI
- Touch screen needs 32-40 pins not 8
- o 7" \$60 or 5" \$35
- Menus are easy to make
- Capacitive vs resistive touch screens 5" only has resistive, 7" has both
- o 5" minimum
- Value proposition
- Design Review, Mon 12th at 2:30 PM in BE faculty conference room in PE
 - o Bring costs into discussions
 - Excite client with improvements
 - o Animations
 - Record presentation for Dr. Brumley
- BE dept has laser and plasma cutter

Action Items

> Colin: investigate lacing technique

- ➤ Mitchell: Scale touch screen
- ➤ Stephen:
- ➤ Stuart:
- > ALL: Prepare for design review
 - Wiki bio
 - PRACTICE PRESENTATION AT 1:30 IN EP 4TH FLOOR STUDENT (earlier if you can)
 - Button shirt, no jeans

Rat Pack Meeting Minutes 11/15/2018, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrestha Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Design Overview
 - Budget, add poster and parts
 - Choose dc motor Large touch screen
 - o Simple manual incline
 - o Belt
 - Flush connection
 - 20 gauge
 - Other option could be nice
- Need to start picking parts
 - o Rollers
 - Power supply
 - 12V motor, 5V PSU
 - PC psu cheaper but may be bulky
 - Need motor controller
 - Varies voltage to DC motor
 - o Arduino mega
 - o 7-inch screen

- Complete 3D model
- Overall cad model done by 12/07
- 11/29 whiteboard sketch of design

Action Items

- > Colin: belt lacing techniques
- > Mitchell: Screen, breadboard, and wires in parts list
- Stephen: Motor, Arduino in parts list

➤ Stuart:

- Belt in parts list, one of each
- Wikipage completion up to and including project learning and send link to Dev
- Dimension spreadsheet

≻ ALL:

- Personal bio and pics to one drive
- Citizenship due 11/15/18

Rat Pack Meeting Minutes 11/29/2018, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Software
 - o Prioritize getting electronics to tinker with code
- Purchasing
 - Tax exempt preferred but not necessary
 - Schiele can do purchasing
- Screen
 - Capacitance vs resistance
- Snapshot
 - o Picture and a couple bullets about the product

- ➤ Colin:
 - Tensioner
- ➤ Mitchell:
 - Change colors on overall design model
 - Screen
- ➤ Stephen:
 - Reminder to Schiele about snapshot

• Motor

➤ Stuart:

Belt

≻ ALL:

Rat Pack Meeting Minutes 12/6/2018, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

Snapshot Discussion

Parts Ordered for break

Rat Pack Meeting Minutes 1/10/2019, 3:30 PM

Location: Gauss-Johnson Engineering Building, Design Suite

People Present

Dev Shrestha Jacob Miller Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Checking out parts
 - Arduino running with touch screen
 - Touch screen appears to have good sensitivity and programmability
 - Rollers are low quality, out of round
 - Could make our own
- Dev requested a table at JML 83
 - New meeting area
- o Belt
 - Need to start playing with belt connections
- o Supports for rollers to avoid "cantilever" situation

- > Mitchell: UI research, search for bearings
- > Stephen: Start working on motor controls
- Stuart: Come to next meeting with a plan for testing belt connections, get receipts
 from Schiele
- > ALL: next meeting in JML 83, prototype by March 5th

Rat Pack Meeting Minutes 1/17/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Stephen
 - Needs pwr supply
 - Separate power supply required
 - Needs to know output from arduino
 - Motor louder than expected
 - Muffle motor?
- Mitch
 - o Started UI
 - Wants to set up menus rather than all on one screen
 - Larger buttons to fill screen
- Stu
 - Experimenting with vinyl
 - o Need to see if finger lacing/ laser cutting required
- Discussion
 - Laser cutting plywood prototype
 - Prototype w/out tension or angular adjustment
 - Then w/out angle adjustment
 - Colin will work on CAD
- Acrylic at MBS?

- > Colin: status updates and CAD models and call MBS to order acrylic
- > Mitchell: continue developing GUI
- Stephen: make purchases
 - Acrylic

- Motor Control Components
- > Stuart: melt two pieces of vinyl together
 - Wikipage?
- > ALL: next meeting in JML 83, prototype by March 5th

Rat Pack Meeting Minutes 1/24/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Colin Burkhalter

Subject Matter

Belt update

- Attempted various methods of using heat to create continuous loop
- Heat gun would often warp the material when the heat required was used
- Heat welding was not sufficiently strong to adhere the 'teeth' of a finger lacing to make a flush connection
- The most effective method was using a hair straightener set at 315 degrees to quickly clamp the two ends together forming a strong connection (in the tensile direction)
 - Extremely easy to do
 - This connection is susceptible to 'peeling'.
 - o Rounded corners would make it more difficult to peel accidentally
 - Connection is not flush so there is a small step
 - \circ $\,$ 2 Examples of this method are in the cupboard in continuous loops
 - Showed to Dev last Friday and he suggested clear masking tape to lessen the 'step'
- All other attempts are in the cupboard in a ziplock bag
- Still may want to try an adhesive?

- ➤ Colin:
- ➤ Mitchell:
- ➤ Stephen:
- ➤ Stuart:
- > ALL: next meeting in JML 83, prototype by March 5th

Rat Pack Meeting Minutes 1/31/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Colin Burkhalter Stuart Sater

Subject Matter

- Motor tinkering
 - o Counter circuit
- Looking at belts
 - Tape seems transparent enough
- Final design model review
 - 3 notches, any angle possible, up to15 degrees
 - Move pivot point for simplicity?
 - May not lock in place as well
 - o Client may want angle changes in 1 degree increments
 - Multiple bars?
 - Talk to schiele about degree increments
- Sides can be acrylic for prototype but should be aluminum for final product

Action Items

- ➤ Colin:
 - Belt testing
 - Email Schiele about angle increments and purchasing acrylic and bearings
 - Continue updating design

➢ Mitchell: Touch screen, menu design

- > Stephen: Aluminum sheet purchase research
 - Send profile pic for wiki page

- ➤ Stuart: Wikipage
 - Replace wiki pics
- ➢ Belt design tinkering
- > Power supply
 - \circ 12v and 5v
- > ALL: prototype by March 5th

Rat Pack Meeting Minutes 2/07/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Colin Burkhalter Stuart Sater

Subject Matter

Belt

• Tape seems to be only way to make flush connection

Screen

- Most elements working
- Timer still needs to be worked out

Roller

- Stock for roller
- Drawing sheet to jake, milling on mon.
- Rear design is close to finish
- Wikipage updates

Design release

• Need to create presentation, make final decisions

Validation methods?

• validation via imaging

- ➤ Colin: Mill roller
 - Parts list and belt decision
 - Finalize design
- ➢ Mitchell: Touchscreen timer, demo
 - Finalize design

- > Stephen: prepare motor for presentation
- ➤ Stuart: Power supply research
 - Add Text to wikipage (link in presentation)
 - \circ presentation

≻ ALL!

- Final design release, presentation!
 - 12:30 -2:00 Tuesday
 - Mon 12:30-1:30
 - Weds 12:30-2:00
- Milling Monday at 2

Rat Pack Meeting Minutes 2/14/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Colin Burkhalter

Subject Matter

- Clear epoxy to hold belts
 - o **\$5**
 - Look on amazon
- Angle adjustment
 - \circ $\,$ Make sure there are set screws
- Try cutting belt with laser cutter
- •

- > Colin: email schiele for epoxy, meet with jake for milling
- ➤ Mitchell: Power supply, find box
- ➤ Stephen: Project learning, Motor encoding

Rat Pack Meeting Minutes 2/21/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Encoder
 - If we want to use an encoder, we would need an auxiliary encoder/ hall effects sensor
 - Make calibration curve
 - Best solution
 - Current encoder would require too many hz
 - Dev: test at max speed with full set up to see if it could work
 - Serial may not be running fast enough
 - Power output consistency causing issues
 - Need power supply
- Wikipage
 - o Revamped, updated, added content
 - Need pic of touch screen
 - Need pdf of code for software section
 - o Other additions?
 - Validation section
- Roller completed
 - D = 0.845 in
 - Travel/rev = 2.653
 - o 136 rpm (check units) max
 - 4 rpm min!!!
 - Back to stepper?
 - Gear ratio

- ≻ Colin: mill it up
 - Send group text of milling times to team

- ➤ Mitchell:
 - pic of touchscreen in wikipage>images
 - pdf of code in wikipage>links
- ➤ Stephen: stepper motor research
- ➢ Stuart: Update Portfolio
 - Validation
 - Belt adhesive?

ALL: snapshot in 2 weeks, 3/5/19

Rat Pack Meeting Minutes 2/28/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Plastic base is cut
- Acrylic is cut down to be lasered
- Motor likely will have to switch to stepper
 - Low rpm
 - 600 rpm max
 - Some with gear boxes
 - Stepper size considerations
- Validation
 - One line on belt rather than 10
- Snapshot
 - Could have most of prototype ready

- ≻ Colin:
 - Send stu stl to print
 - Cut side base pieces
 - Bring epoxied pieces and send in photos
 - Finalize Design photos
- ➤ Mitchell:
 - Stepper motor
 - Ready touch screen for snapshot

- pic of touchscreen in wikipage>images
- pdf of code in wikipage>links
- ≻ Stephen:
 - Stepper Motor
 - Ready dc motor for snapshot
 - Invite schiele to snapshot
- Stuart: Update Portfolio for snapshot
 - 3d Print arms
 - Finalize poster board
- ➢ ALL: Snapshot 3/5 prep
 - Meet Monday at 1:00 pm

Rat Pack Meeting Minutes 3/7/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- CNC new rollers?
- Updates need to be made
 - o Drive roller needs crown
 - Remade?
 - Spacer between frame to account for gap
 - Stronger support arms
 - 0
- Ideas
 - J hook extends in a way that roller could be easily removed
 - How to keep motor on while being able to remove both rollers?
 - Motor mount, protect wires with kick stand
- Wall design needs to be made
 - Pegs fit into holes in acrylic
- Belt
 - Epoxy method chosen but application method needs work
- Increase length by 1 cm
- Power supply
 - 5v for arduino
 - o Limit size
 - 18 -30v... 24V?
 - \circ 0.3 2.2 A ... 2 ish ideal

- ➢ Colin: Double check dimensions
 - Crown
 - Belt epoxy application method
- ➤ Mitchell: Power supply and box

- ➤ Stephen: Power supply
 - Box design
- ➤ Stuart: Box design, pins for attachment,
 - 1/4inch acrylic

≻ ALL:

Rat Pack Meeting Minutes 3/21/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Walls
 - Notches in frame for box to slide in
 - o Or pins connect only to end walls
 - o Walls
- Belt
 - May not require fingers for strength
- Frame update
 - Sides are reinforced
 - Motor mount
 - Support block
 - o Roller needs to be rebuilt, bad cuts
 - Will be flush with bearings
 - New arm design with j hooks
 - Belt could contact bearing and not box
 - Power supply
 - 2 outputs
 - 24 V
 - 5 V
 - Takes 120 V
 - Digikey list of things to order
 - Power cord size?
 - 4ft
 - Box Dimensions
 - 9.5" long x 4.5" depth x 2" height in front x 3.5" height in back (inside dimensions minimum)
 - Power cord outside or back?
 - Dimensions of touch screen?
 - Jigsaw corners, talk to jake

- ≻ Colin:
 - design updates
 - roller, arms, etc
- ➤ Mitchell: Send stephen touchscreens dimension
 - Electronics
 - LEDs
- ➢ Stephen: Design box and send to mitch
- ➤ Stuart: Design report/ journal
 - Metal etching spray, etching numbers, degree markers laser cutter
 - Research "cattle grate" in other designs
- ≻ ALL:

Rat Pack Meeting Minutes 3/28/2019, 3:30 PM

Location: JML, 82

People Present

Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Rat grid
 - Most designs are a shock motivator
 - \circ $\,$ Some have an air puff $\,$
 - Found a paper 'Assessment of Murine Exercise Endurance Without the Use of a Shock Grid: An Alternative to Forced Exercise'
 - Requires extra work by researchers
 - May not be the case as subjects are acclimated by they time they are running free
 - Younger mice are much less likely to refuse to run (10% for 4mo)
 - Small platform behind edge of treadmill
 - One design just had a wall behind the mouse to keep it running
- Laser etching
 - \circ Cheaper option \$50
 - <u>https://www.amazon.com/Brilliance-Laser-Inks-BLI101-12-</u> <u>Aerosol/dp/B07K4Y8D62/ref=sr_1_1?keywords=co2+laser+marking+</u> <u>spray&qid=1553803779&s=industrial&sr=1-1-catcorr#detail-bullets</u>
 - More expensive but more common \$100
 - <u>https://www.amazon.com/CerMark-LMM-6000-Marking-Technology-Aerosol/dp/B079F2MQ4Q/ref=pd_cp_328_1?pd_rd_w=ctEMK&pf_rd_p=ef4dc990-a9ca-4945-ae0b-f8d549198ed6&pf_rd_r=A9N95C50DR7QFQM4CP5X&pd_rd_r=91f17_c35-5195-11e9-9441-a17f983c0852&pd_rd_wg=k4psA&pd_rd_i=B079F2MQ4Q&psc=1&ref_RID=A9N95C50DR7QFQM4CP5X
 </u>
- Design Journal
 - Cost to submit is \$500
 - Schiele said even if it puts us over budget, he wants us to do it and he would pay
 - Journal is hardwareX

- Started an outline
- Make side arms longer to allow for spring tensioning
- UI box design complete
 - To print/cut parts soon

- > Colin: Smaller lines for every degree marking
 - Send cut design pieces
 - Update arm design for spring tensioning
- ➤ Mitchell: buy bolts
 - Print bases
 - Laser cutting enclosure
 - Add holes
- ≻ Stephen:
 - Laser cut box
 - Save as .dxf or .dwg
 - Look up strain protector gromet locally
- > Stuart: Test elasticity of pvc vinyl, check material properties,
 - COMPANY: marine vinyl?
 - Abstract and conclusion of journal article
 - Order laser etching spray
- ➢ ALL: Bored? Make a logo

Rat Pack Meeting Minutes 4/4/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Belt mech. Properties
 - o No data sheets available even from other suppliers
- Spray
 - o Ordered, not sure of arrival time
- Open Access article
 - Abstract complete
 - Specs table mostly complete
 - Hardware in context section complete
 - Will need a lot of files from team (action item)
- Control Box
 - All box sides cut
 - o Fan holes needed
 - Cord gromet needed
- Arms
 - o Aluminum
 - Need stock
 - o 3D print
 - Too flexible?

- ➤ Colin:
 - Create video outline
 - Print motor mount.
 - Add tensioner
- ➤ Mitchell:

- Grommet
- Electronics testing
- Enclosure finalization
 - Done by next week?
- Schematic meeting if finalized
- ➤ Stephen:
 - Video help
 - Laser cut
 - Electronics
 - threaded rod
 - 0
- > Stuart: Define files needed for article
 - Complete article as much as possible
 - Meet with mitch for wiring schematic
- ➤ ALL: Bored? Make a logo

Rat Pack Meeting Minutes 4/11/2019, 3:30 PM

Location: JML, 82

People Present

Dev Shrestha Jacob Miller Colin Burkhalter Mitchell Angelo Stephen Schoonen Stuart Sater

Subject Matter

- Working final device by next week
- Containment box is done
- Video
- Roller is fabricated

- ➤ Colin:
 - Email about video
 - Print side arms
 - Give mitch the part with markings
- ➤ Mitchell:
 - Go to engravers and check on engraving
 - Get supplies for enclosure
 - Finalize code
- ≻ Stephen:
 - Assist with Colin on video
 - Add and improve any needed information to the portfolio
- ➤ Stuart:
 - Journal needs

- Schematic for wiring
- Begin poster design
- > ALL: Work on uploading cad files/ bill of materials if you have time