# ME 430 EXPERIMENTS

Heat Pipe and Solar Tracker

BradLee Speirs, Dan Cox, Jens Christiansen





# ME 430 GOAL

- ME 430 purpose is to engage students in an industry like experiment.
- Dr. Kumar has assigned us to build a heat pipe and solar tracker experiments for the class.







#### SOLAR TRACKER OVERVIEW





# HEAT PIPE SPECIFICATIONS

- Ability to change heat pipe and mesh (must)
- Measure heat distribution (must)
- Compatible with LabVIEW (must)
- Measure heat Flux (strong should)
- Test vertically and horizontally (want)
- Cost under \$1200 (want)



### **DESIGN EVOLUTION**



Legacy Design

**Revised Design** 

# SYSTEM DIAGRAM



### FINAL PACKAGING



#### LABVIEW INTERFACE

#### Power Supply

VISA resource name	Control Mode(1:Remote)	Enable Output (T: Enable)
™ COM4	Remote 1	C Enable
Serial Configuration	1	V
Baud Rate (9600)	Function(0:Voltage) N	lanual Range(0.00) Unit(V)
9600 9600	() Voltage 0 (	72.00 () V 0
Parity(0:none)		
Hone 0	Measurement Function	n(0:Voltage) Voltage
Data Bits(8)	Voltage 0	51.6290
€ 8 8	Measurement Function	(0:Current) Current
Flow Control(None)	Current 1	1.29811
None 0	W I I I I	(0.D
Stop Bits(1.0)	Measurement Function	(0:Power) Fower
1.0 10	Power 2	67.018





# LABVIEW RESULTS



Heat pipe experiment with water at about 27 in Hg Vacuum in a grooved heat pipe.

# HEAT PIPE PERFORMANCE

- Heat Loss due to conduction
  and convection
- Not in a complete vacuum





# HEAT PIPE LESSONS LEARNED

- Order heats with standard thread/diameter sizes.
- Special fittings are needed to hold a vacuum.
- The condenser section has a lot of leakage pathways.





# **QUESTIONS?**



