AMPS Communication

Technical Presentation May 2nd 2014 Sponsored by SEL & Norman Fisher



Corneliu Turturica Jorge Rios Garrett Stauffer Fahad Alhajeri Amrit Dahal – Lead Instructor Touraj Assefi – Lead Instructor Brian Johnson – Mentor Normann Fischer – Sponsor

AMPS (Analog Model Power System)

- Built by Idaho Power
- Donated to the University in the mid 1990's
- Protection scheme implemented using SEL relays





Purpose of the AMPS

- The AMPS is a scaled model of a real power system
- Breakers can be configured to different protection settings
- Faults can be initiated at any point in the line
- The AMPS is used as a learning tool; the system can be used for additional types of power studies with minimal changes as well

Goals

- Design and research potential hardware options
- Mount and wire protection equipment from SEL
- Configure communications network
- Design and implement trip logic for 2440
- Configure basic relay functionality
- Documentation

Legacy Configuration



Reason for Upgrade

- Ethernet based system
- IEC 61850 compatibility
- New industry standard
- Expandability for future projects

Complete Schematic



Legacy Communication



New Communication Diagram



Virtual LAN Configuration



10

Breaker Trip Logic





Budget

ltem	Number	P	Price Per	ltem (Cost	
SEL-3620		1	\$	2,800	\$	2,800
SEL-3355		1	\$	3,250	\$	3,250
SEL-3530		1	\$	2,850	\$	2,850
SEL-2730M		2	\$	1,850	\$	3,700
SEL-411L		2	\$	8,515	\$	17,030
SEL-351S		2	\$	2,550	\$	5,100
SEL-2440		4	\$	960	\$	3,840
Total Donation Cost					\$	38,570
Mis					\$	470

Summary

- Install and wire all SEL equipment in AMPS Lab
- Implement new communications network into system
- Design and configure new trip logic for 2440 (DPAC)
- Apply appropriate settings to relays for proper trip signal
- Create lab manual for upgraded AMPS Lab.

Questions?

Contact us at engr-ampscommunication@uidaho.edu