

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

Hardware in the Loop Simulation Product Requirements

Simulation Sages
David Bowman
Lance Carr
David Lowe

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

Document History

Rev Number	Date	Modified By	Reason
0	29Sep2020	David Lowe	Initial Release

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

Table of Contents

1 OBJECTIVE.....	4
2 SCOPE.....	4
3 REFERENCES	4
3.1 CITED DOCUMENTS.....	4
3.2 ACRONYMS.....	4
4 FUNCTIONAL REQUIREMENTS.....	5
4.1 USER INTERFACE REQUIREMENTS.....	5
4.2 WHAT IT SHOULD DO.....	5
5 MECHANICAL REQUIREMENTS.....	5
6 ELECTRICAL REQUIREMENTS	5
6.1 OPERATIONAL VOLTAGE	5
7 SOFTWARE REQUIREMENTS.....	5
7.1 USER INTERFACE	5
8 ENVIRONMENTAL REQUIREMENTS.....	5
8.1 TEMPERATURE.....	5
9 REGULATORY REQUIREMENTS	5
9.1 UL REQUIREMENTS.....	5
10 COST REQUIREMENTS	6
11 SCHEDULE REQUIREMENTS.....	6

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

1 Objective

The objective of this document is to document the requirements for the Hardware in the Loop Simulation Design Project.

2 Scope

The scope of this document is to define the requirements for the end product.

3 References

3.1 Cited Documents

This is place to cite any relevant standards, regulations, etc. relevant to the requirements...

3.2 Acronyms

PV	Photovoltaic
RSCAD	Real time Simulation Computer Assisted Design
RTAC	Real Time Automation Controller
RTDS	Real Time Digital Simulator
SEL	Schweitzer Engineering Laboratories

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

4 Functional Requirements

4.1 User Interface Requirements

The user shall interface with the product using RSCAD software and RTDS hardware.

4.2 What it should do

The product will provide a learning environment suitable to be used as a class semester laboratory session for electrical engineering students. It will give students experience with industry hardware and software as well as help them become familiar with the behavior of a small power system when PV inverters are introduced to the system.

5 Mechanical Requirements

None

6 Electrical Requirements

6.1 Operational Voltage

During operation the RTDS will be connected 120V AC wall power. The lab computer and monitor must also be connected to 120VAC wall power.

7 Software Requirements

7.1 User Interface

The user shall access the simulation environment using RSCAD which will interface with the RTDS. AcSELerator RTAC software will also be used to interface and program the SEL RTAC.

8 Environmental Requirements

8.1 Temperature

Product shall be operated at room temperature.

9 Regulatory Requirements

9.1 UL Requirements

Operation of this product will remain within manufacturer specifications

PRODUCT SPECIFICATION

TITLE	DATE	REV
Product Requirements	29 Sep 2020	0

10 Cost Requirements

None

11 Schedule Requirements

The following are the major Project Milestones:

Portfolio Review	8-Oct-20
1st Logbook Review	8-Oct-20
Design Validation Plan	22-Oct-20
Wikipedia Setup	5-Nov-20
Value Proposition	29-Oct-20
2nd Logbook Review	12-Nov-20
Concept Design Review	13-Nov-20
Team Member Citizenship	20-Nov-20
Snapshot Day 2	1-Dec-20
Project Portfolio	11-Dec-20
Wikipedia	11-Dec-20
Logbook	11-Dec-20
Engineering Release Review	2-Feb-21
Snapshot Day 3	5-Mar-21
Design Expo	30-Apr-21