9/16/15

Attendance:

Alexx Jensen

Jesse Caudle

Marc Compton

Chris Fraser

Agenda:

- Getting organized in preparation for Thursdays meeting
- Organize and distribute information about client conference call
- Key components of the design in mind
- Get official design specifications for the ramjet/questions needed to clarify

Meeting Notes:

- Thursdays meeting
 - o (Alexx) I will be creating the Excel spreadsheet for task completion 9/16/15
 - (Jesse) Create a generic form to help with organization binder in order to speed up and keep things clean.
 - (Marc) Will we need to fill this out every time, or will only certain areas
 - (Marc Jesse Alexx) The design choice alternatives section. Creating a form to quickly show what we chose and didn't chose
 - (Marc) Create a template to show the idea
- Client Conference Call
 - o Dr. Crepeau is officially settled
 - (Chris) Time Zone? (Possibly One hour to max three hours ahead)
 - (Marc) Dr. C would like us to see when we can use the ME conference room based off the reoccurring meeting times to organize time for client calls. Would like Dr. M to be there as much as possible.
 - Possibly officially reserve the Conference room indefinitely
- Design Specs/Questions
 - o (Jesse) Create individual lists of questions to ask by Thursdays meeting
- Key Components
 - o Retractable nose cone (oblique shock waves to normal shock within)
 - o Barrier between solid rocket
 - o Controls both mechanically (Fins) and electronics (Computer)
 - o Nozzle
 - o Combustion/thermo
 - Modeling
 - Manufacturing

To do:

- Create binder template to show ideas on how to better organize the binder (Jesse) Due 9/24/15
- Create task completion spreadsheet (Alexx) Due 9/16/15
- Get ahold of Dr. Maughan's schedule to organize meetings for client calls (Marc) Due 9/16/15
- Send Jesse schedules (Alexx Marc Chris) Due 9/16/15
- Create Team logo (Chris) Due 9/24/15
- Come up with 5-10 questions (Everyone) Due 9/17/15
- Talk to Crepeau about time zone and meetings (Marc)
- Check lockers in IEEE for binder and books (Chris) Due 9/24/15

Time: 9:30 - 10:40 AM

Attendance:

Agenda:

- Discuss conference call times for future client calls
- Discuss what information was obtained during the conference call
- Steps moving forward in the design process
- Upcoming events and deadlines
- Review previous action items
 - Create binder template to show ideas on how to better organize the binder (Jesse) Due
 9/24/15
 - o Create task completion spreadsheet (Alexx) Due 9/16/15
 - Get ahold of Dr. Maughan's schedule to organize meetings for client calls (Marc) Due 9/16/15
 - o Send Jesse schedules (Alexx Marc Chris) Due 9/16/15
 - o Create Team logo (Chris) Due 9/24/15
 - o Come up with 5-10 questions (Everyone) Due 9/17/15
 - Talk to Crepeau about time zone and meetings (Marc)
 - o Check lockers in IEEE for binder and books (Chris) Due 9/24/15

Meeting Notes:

•

To do:

•

Time:

9/9/2015

Attendance:

Alexx Jensen

Jesse Caudle

Marc Compton

Chris Fraser

Agenda:

- Write team contract
- Create Meeting Minutes Template

Meeting Notes:

• Created team Contract through Democratic participation

To do:

- How fast is the cruising speed of the IRR?
 - o This will be brought up in the interview
- Create Excel spreadsheet for task completion (Alexx)
- Budget Excel spreadsheet (Chris)
- Create binder and file structure for team project (Jesse)

Time: 9:30 - 10:45 (AM)

Attendance:

Alexx Jensen

Jesse Caudle

Chris Fraser

Dr. Maughan

Dr. C

Agenda:

- Discuss concepts that will be moved forward
 - o Two designs of the nose and two designs for the diaphragm
- Research that was obtained for nose cone forces
 - Solid rocket properties
- Discuss steps moving forward with solid rocket and ramjet portions
 - Moving forward the concepts of how much fueling will be needed based off educated guesses

Meeting Notes:

•

To do:

- Inform doctor (MW 12:30-2 he has class) Preferably after and not Fridays
- Conical tables gas dynamics/compressible flow conical tables (Alexx)

Attendance:

Alexx Jensen
Jesse Caudle
Marc Compton
Chris Fraser
Dr. Maughan
Jake

Agenda:

- Discuss Research on
 - o Nose cone/Diaphragm
 - o Ramjet/Rocket

Meeting Notes:

- Diaphragm
 - o Found information on ablative material for rocket shell and diaphragm/nozzle
 - o Looking into Design details to narrow down the two designs
- Nose Cone
 - Basic code to find a force on the cone
 - o Went with shaping the cone, which dictates everyone progress forward
 - o Two codes one code with single angle and one with mutlti angles
 - o Gained knowledge of a cone COMPROP calculator
- Ramjet
 - Can analyize the entire combustion process
 - Assuming the numbers coming from chris we can see the airfuel ratio to calculate the needed amount of fuel
- Rocket
 - Used the fueling from the space shuttle due to availability
 - o Ran into many issues with too many unknowns
 - With area ratios we can find the mach leaving
 - Through many other calcs we can find thrust and acceleration
 - Through ittereation we can find the mass to calculate the amount needed
- How optimized do we want the rocket & ramjet????
- When will we transition????

To do:

- Marc needs to contact Dr. C about new meeting time due to time change
- Get all info on for Design Review on November 11

Attendance:

Alexx

Chris

Marc

Jesse

Dr. Maugan

Jake

Dr. C

Agenda:

- Discuss ideas currently proposed for Nozzle and Diaphragm
 - o Checking validity and promise of proposed ideas with client
- · Confirming the specifications meet client requirements
 - o I.E. speed, distance, altitude etc.

Meeting Notes:

- o Justification as to the use of a nose cone
- Specifications
 - Ensuring that nose cone can take forces
 - o No components from the combustion chamber during transition
 - o Mach Number to 3 with solid rocket then liquid fuel afterwards
 - o Transition Speed?
 - Shock waves will vary strength and location
 - Moving cone helps solve the transition speed
 - Transition Mach will be set based off the chosen Design
- Paper in Journal Physics
 - o Gives fuel consumption characteristics as well as minimum inlet speed
 - Specifications similar to that of a Cruise Missile
 - Length of the Missile needs to be defined
 - Gain information on how much solid fuel will be required to get from 0-Mach 3
 - Missile will be higher altitude
 - Light w/ a lower factor of safety
 - o All other specifications are Okay'd By Dr. C
- Design Ideas
 - o Piezo electronics to create movable parts
 - o How far does the nose cone need to move?
 - Give a better understanding of how far the nose will need to move

- Diaphragm (Dr. C's opinion but can come up with better ideas)
 - o Number 11/12 (1a & 1b)
 - o Number 9 Iris as well (Limited knowledge to make an informed judgment)
 - o Number 6 (More detail)
 - Light with very fast transition Speeds!
- Nose Cone
 - o Number 1
 - o Number 3
 - o Number 5

To do:

- (Need to come more prepared. Gain access to the S Drive) (Alexx) Done
- 0 Mach 3 time and fuel consumption (Jesse research) 10/14/15
- Forces on the nose cone (Chris Alexx) 10/14/15
- Email reminder to Dr. C Monday before meeting 10/19/15
- Create Better more detailed designs ensuring specifications/statistics are met
- Document why we made the choices on nose cones and diaphragms
 - o Decision matrix
- Research the iris (Marc) 10/14/15

Time: 9:30 - 10:40 AM

11/18/2015

Attendance:

Everyone

Agenda:

Confirm with Dr. C that we are on the same page with design goals

Meeting Notes:

- How we felt about the Design Review
 - Need to clarify how the rocket and ramjet work specifically
 - o Give a more detailed description on how they work in very simplistic detail. This will bring those who don't know up to pace and possibly clarify again for those who do
 - Keep it brief
- Things that Dr. C noticed we needed to improve upon
 - o Settle on a main design
 - When we talk about the overall design there is more uniformity
- Alexx plans to 3D print small cut outs to show how each section works
- Nasa plans to deliver the math model for the nose cone Today Nov 18
 - o Hopefully we can move forward with this and obtain the information needed
 - o Response from Nasa
 - Stated that it was complex, but sounded like a good idea
 - From Ohio, glen research center
- Fuel in the center of the ramjet
 - o Nervous about the aerodynamics of this design
 - o Doesn't seem smooth
 - o Would like to see the fuel possibly on the outer side of rocket
 - o Perform some performance calculations between the two
 - So long as we can bring up quality engineering reasons as to why then we are okay to move forward with our design
- Step through the justifications on each of the components and why we choose them

To do:

- Citizenship forms due Friday Nov 20th Email to Dr. Maughan
- Snapshot Friday Dec 4th
- Two Design Reviews
- Next class is Tuesday after thanksgiving break
- Meet with Dr. C on Dec 2nd and Dec 9th
- If Nasa doesn't reply to Chris by the end of Nov 18th then we will move forward with manual cone calculations
- Inlet conditions due Tuesday Nov 24th

Time: 9:30 - 11:05 AM

Attendance:

ΑII

Agenda:

- Discuss Math Models
- Discuss Nose Cone updates
- Discuss Pro's and Con's for diaphragm ideas and which one that we have decided to move forward with
- Discuss Design Review on the 11th

Meeting Notes:

- Dr. C will be able to make the Design Review on the 11th
- Jesse will be discussing his math model after the meeting with Dr. C and will be Sending it off to get it looked at.
- Marc has sent Dr. C his math model
- Both models have been created using parametric studies to analyze their respective systems
- Chris was able to research information on supersonic nose cones
 - o He was able to find a program through nasa called supen?
 - He would be able to obtain the code if he can prove that the group is not from another country
 - Has been looking into 4tran knowledge
 - o Will be getting some examples of code, but nothing back from him yet
 - Has been looking into creating an EES code
- Dr. C notes that the Flaps won't see the temperature for a long period of time depending on the geometry of the rocket fuel
 - Pressure may be more of a factor (8 Mpa)
- One Last chance to get feedback from the people that know more than you
 - Share what you've done but get info back
 - o Don't talk too much on what we're thinking, and more on what we're doing
- Invite professors that would be interested or knowledgeable
 - o This is to invoke participation and potentially gain knowledge and insight
- We are aiming to create a workable system, but there is no need to make everything perfect

To do:

- Advise Chris to ask what equations were used in the 4tran coding
- Design Review Presentation Prep (Wednesday at 9:30)
- Send Dr. C the information on our Design Review Preparation by Monday/Tuesday

Time: 9:30 - 10:30 AM

12/16/2015

Attendance:

Chris, Marc, Jesse, Alexx

Discussion:

Over break responsibilities to ensure the project stays on track for completion and ensuring that Dr. C's expectations are met.

Alexx- Will be performing calculations on the diaphragm to fully support the design

Chris- Will be creating the Nose cone Barrier

Jesse- Fix Binder and update webpage

Marc- Ideas for the model

12/2/2015

Attendance:

Jesse Caudle Alexx Jensen Marc Compton Chris Frazer Dr. Maughan Jake Gilles

Agenda:

- Discuss Snap Shot meeting time tomorrow
- Discussing the current status of the Ramjet
- Discussing what needs to be done come Dec 9th

Meeting Notes:

- Vandal Gear gets bonus points during Snap Shot
 - o Nice vandal gear
- Diaphragm
- Set inlet code to 1 meter in diameter @ 45000 ft @ range of 1000 kilometer
 - o Length was 40 ft of fuel
 - o Set inlet code to 1 meter @ 0 ft @ range of 1000 kilometers
 - Length was similar or longer
- The engine face has an input variable for the speed
 - o This seems odd and needs to be looked into

To do:

- Meet at 11 Dec 3 to put together Snap Shot poster board
- Chris will look into the sizing of the code and why the engine face variable can't be set higher
- Lower the overall Mach number
- Increase the speed at the engine face to approximately Mach of .4
- Meeting at 12 Monday Dec 7 in ME Conference room

Time: 9:30 - 10:20 AM

12/9/2015

Attendance:

Everyone

Agenda:

• Discuss Full Concept

Meeting Notes:

- Full Concept
- Expo Model
 - o Aesthetically nice more than scaled
 - o If there is a large difference use a scale with the model on the poster for expo
 - o Model materials don't need to be rocket specific
 - o Make sure the model is finished, don't get bogged down in the materials

To do:

• Begin looking into how to manufacture model

1/13/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Discussion:

Discussed the lack luster budget even though we haven't spent anything

To Do:

Alexx- Obtain schedules from everyone, and create a spreadsheet to see what times work to continue meeting with Dr. C

- Also preform the FEA on the diaphragm to support the decision

Chris- Will tidy up the budget and with spending on the way be prepared for it

Jesse- Will be updating the wikipage

1/20/2015

Attendance:

Dr. C, Dr. M, Chris, Marc, Jesse, Alexx

Discussion:

- Discussed how Russ had machined a nozzle previously for Dr. C and that we should contact him to see it.
- Discussed how we decided up machining the rocket, as well as our strategies and materials for each section
- Dr. C suggested a CO2 cartridge to blow open the flaps with our fuel injection
- Wind tunnel model is lowest priority, and we should focus on the ¼ cutout model
- Dr. C will be back on April 6th

1/27/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Purchasing
- Nozzle
- Nose cowling
- machining

Discussion:

- Nose
 - o Fill the holes in the strainer
 - o Consider bondo
 - o Lazer cut and custom stamp to create a one off
 - o Cowling will be 5.5" in outer diameter
 - o Use ABS possibly for weight concerns on the nose cone
- Body
 - o Need to change the model to accommodate the new OD
- Nozzle
 - o Possibly made of acrylic
 - o Scale it in proportionally so we can make it fit (this is no longer required)

2/10/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Diaphragm
- Nose Cone
- Diffuser

Discussion:

- Diaphragm
 - Alexx- 3D printed a few tests for the diaphragm that resulted in poor quality and lifting material
 - Chris suggested using rafts and ensuring the table is level by using the level table function
 - For the fuel injection two ideas that were discussed were welding tips or sprinkler system tips
- Nose
 - Alexx- Had previously brought up talking to Dr. C about painting the rocket but no response
 - o Deciding between aluminum and PVC to utilize
 - o Decided to go with PVC as a substitute material as it is paintable and lightweight
- Diffuser
 - o Questioning how long the diffuser is?
 - o Should we make it out of aluminum or the same material as the Nose cone?
 - We decided to make the diffuser out of Aluminum
 - o A question that arose is how the sides will be mounted.

To Do:

- Measure the diffuser length and email everyone
- Logbooks are due next week as well as the binder
- Talk to Russ about ¼ cut and fuel injection

2/17/2015

Attendance:

Dr. C, Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Nozzle
- Nose Cone
- Closing flaps
- Diaphragm
- Diffuser

Discussion:

- Nozzle
 - o Obtained the aluminum stock
 - Will begin machining today (Facing /Boring)
 - o Next week is the planned finishing time for the nozzle
- Nose
 - o Obtained the PVC for the nose cone
 - o Will begin working on the Mastercam file for the CNC lathe
- Closing Flaps

0

- Diaphragm
 - o 3D Print the diaphragm as it will be quicker and function better
 - o Air nozzles to force the flaps open receding within the necked portion
- Diffuser
 - o Machined to obtain better results that will match the scale model
- Dr. C
 - o Machining the difficult portions now and focusing on the simpler portions later
 - Yes this is the game plan
- Dr. M
 - o Want it to be able to break down for transportation?
 - For now press fit will be okay as a proof of concept
- Dr. C
 - o Likes the idea of painting to obtain a more professional look.
 - Either black, silver, or red
 - Adding a logo may look good
 - UI, Team Name, Boeing???
 - o Will be back April 7th
 - Likes the current status

2/24/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Nozzle
- Nose Cone
- strainer
- Diaphragm

Discussion:

- Strainer
 - o Strainer will be pushed and pulled to open/close the cowling
 - o Take measurments to adjust stuff???
- Diaphragm
 - o Attachment of the diaphragm?
 - Glue
 - Bolts
 - Order stock for diffuser
 - Have cutout for fuel and utilize for displaying fuel lines
- Nose cone
 - o Has a three section design ready just waiting on machining time with Jake

2/3/2015

Attendance:

Dr. C, Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Purchasing
- Machining
- Design Review

Discussion:

- Chris
 - o Machining nose cone design
 - o Will be approximately 14" in total length
 - o Due to length and shaping will be cut into three pieces to accommodate machining
 - Made out of a plastic in order to save weight as well as speed up machining the excess material
- Alexx
 - o Scaled the model to have a 5" inner diameter as well as a 5.5" outer diameter
 - o Cut the portions out of the solid and liquid fuel
 - o Overall length will be 39"
- Jesse
 - Looked at the nozzle in office which sparked the question as to what the inlet of the nozzle should look like
 - Dr. C stated it is subsonic flow so a smooth flow look will be sufficient
- Dr. C
 - o Asked if we will be creating a movable nose cone
 - Cowling will seal and he was okay with that
 - ¼ the shell while leaving the nose and nozzle whole
 - Alexx Stated that the diaphragm will be slightly off scale to support for strength and durability

3/2/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx, Dr. C

Topics:

- Snapshot
- Nozzle
- Nose Cone
- strainer
- Diaphragm
- Due Dates

Discussion:

- Strainer
 - o K
- Diaphragm
 - o Print parts later in the week and plan to assemble and test fit
- Nose Cone
 - o Mastercam code on Monday and machining later this week
- Nozzle
 - Was delayed due to CNC code debugging.
 - Errors, wouldn't send code, zeroing error flipped, bad bit
- Cowling
 - o Cut as much out as possible
 - Having doubts
 - o Two suggestions proposed by Jesse and Marc
- Flash Paper
 - o Will be used to simulate solid propellant
 - Dr. C will be very interested to see the demo
 - Video the demo to show Dr. C
- Dr. C
 - o Mentioned that the notion of the SpaceX Alumni
 - Calculations moving forward
 - If we finish early then we plan on doing more FEA
 - o Next week is snapshot do you need me?
 - No
- Housekeeping
 - Postpone next meeting to the 23rd
 - o Snapshot
 - o Portfolio
 - Citizenship forms

o DFMEA

Wikipage

3/23/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx, Dr. C

Topics:

- Snapshot
- Nozzle
- Expo

Discussion:

- Snapshot
 - o Snapshot went very well
 - o Chris and marc did a great job rendering individual sections
 - o Added a large image with label
 - o Reduced words to implement more photos
- Nozzle
 - o Finished 2 days after snapshot
- Expo
 - o All components are on track to finish by expo

3/9/2015

Attendance:


Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Snapshot
- Machining
- Time Line

Discussion:

- Snapshot
 - o Visual aids were nice and renderings were great
 - o Possibly look into using nails for diaphragm
- Machining
 - o Jesse:
 - Chris will machine Thursday 10th 8-10:30 and machine until 5
 - Goal is to finish by the end of business on the 10th
 - o Chris:
 - Help with Jesse
 - Create Mastercam for mill and lathe during Jesse's machining
 - Aluminum fixtures on manual lathe
 - Found stock in scrap cabinet
 - Justin and steven can allow us to machine on Monday or Tuesday during break
 - Estimate of 2 days to machine so we will say 3
 - Motor
 - Costs 130
 - Motorized lead screws
 - No specifications
 - How will we poer it?
 - o Arduino and previous group had notes
 - Mounted and wires will go through supports
 - Budget 1400
 - Lead time is 2 weeks from purchase
 - Create own steeper/dc lead screw
 - o Alexx:
 - Printing
 - Fuel injection
 - Lathe CNC
- TimeLine



4/27/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Presentation
- Model
- Air flow

Discussion:

- Presentation is 10-13 minutes then questions
- Model is complete and together
- Air duster cans are not optimal to blow open the flaps.
 - o Dr. C asks if six jets of air would work and its seems un likely
 - o Dr. C is okay with no air flow over purchasing a compressor
- Ready for EXPO

4/6/2015

Attendance:

Dr. M, Chris, Marc, Jesse, Alexx

Topics:

- Nose cone
- cowling
- Stand
- Combustion chamber

Discussion:

- Combustion chamber
 - o Needs to be machined
- Nose cone
 - o Is set up to be lathed
 - o Time is scheduled on Tuesday
- Cowling
 - o Boring bar couldn't reach the back during the process and wasn't caught until after the point of no return
 - o Will be taken to the CNC mill to finish the part
- Stand
 - o Will be made out of acrylic and laser cut
- Forecast
 - o Begin milling Monday-Friday
 - o A week and a half of testing
- Alexx:
 - o Email rob patten
 - o Website to review if we did/what we need to prepare